

Catalog Number: 68R-CST-GRY
Product ID: 7TAA003230R0005
UPC Number: 78599104443
Status: Active

Recessed Service Floor Box Cover Kit, Accepts Duplex Receptacles GFI Receptacles and 2 Port Keystone Data Plate, Gray, Non-Metallic, For use with Flush Service Floor Box, 100 Cubic Inches, Opening Diameter 5-5/32 Inches, Base Diameter 6-3/8 Inches, Depth 6 Inches, 3/4 Inch and 1 Inch Conduit Tapping, Plastic, For Power or Communications/Data and Wood Sub-Floor and Raised Floor Applications

- Unique cover provides aesthetic recessed service
- Patented lid can be rotated to expose a small opening for cords, enabling the lid to close flush with the floor while in use.
- Cover accepts 1-duplex or GFCI receptacle, no special device plates required.
- Cover accepts up to two communications jacks
- Includes (1)-2-port keystone data plate and 1-blank data plate for customer cut-outs or power only applications.



Actual



Representative

North American Specifications (UNSPSC)

UNSPSC	39121307 Floor boxes
IGCC	4432 Floor boxes
Brand Name	Steel City
Type	Flush Service
Special Features	Unique cover provides aesthetic recessed service
Application	For use with 68 P round floor box
Standard	UL E11461
Material	Non-Metallic
Color	Gray

European Specifications (ETIM)

ETIM	EC001906 Mounting cover for underfloor draw-in box
Mounting opening	Round
Cover mounting opening	Y
Floor maintenance	Dry
Material	Other

Packaging

Inner Quantity	1
Inner Dimensions (inches)	6.26x6x5.12
Outer Quantity	4
Outer Dimensions (inches)	16x15x7
Weight Uom	1.47 lbs. Each

Documents / Support Tools

Technical Drawing / Data Sheet	WSD-000203
Technical Drawing / Data Sheet Canada	Available on Website
Instruction Sheet	TA03866-TB2
Support/Tools	Available on Website

For further technical assistance, please contact us...

Thomas & Betts - USA
 8155 T&B Blvd.
 Memphis, TN 38125
www.tnb.com

T&B Technical Support
 MS 3B-50
 8155 T&B Blvd.
 Memphis, TN 38125

Hours: 7AM - 6PM CDT
 Monday-Friday
 Phone: (888) 862-3289
 Fax: (901) 252-1321
 Email: techsupport@tnb.com