



24 Watt – Wall Plug Adapter



Features

- Class B EMI
- Short-Circuit Protection
- Class II Double Insulated
- Over-Voltage, Over-Current Protection

Applications

- Portable Equipment
- Peripherals
- Access Devices

Safety Approvals

- cUL/UL 60950-1

Mechanical Characteristics

- Length: 83.5mm (3.29in)
- Width: 35.0mm (1.38in)
- Height: 53.5mm (2.89in)
- Weight: 165g (5.82oz)

Output Specifications

Model	DC Output Voltage	Load		Ripple(1) P-P (max.)	Regulation Line & Load
		Min.	Max.		
PSAC24A-120L6	12V	0A	2.0A	240mV	±5%

Notes: (1) Measured after 30 minutes with by-pass capacitors 0.1uF/10uF at output connector terminal and oscilloscope set at 20MHz.

Phihong is not responsible for any error, and reserves the right to make changes without notice. Please visit our website at www.phihong.com for the most up-to-date specifications and contact information.

INPUT:**AC Input Voltage Rating**

100 to 240V AC

AC Input Voltage Range

90 to 264V AC

AC Input Frequency

50 to 60Hz

Input Current

0.6A (RMS) maximum at 100V AC

Leakage Current

0.25mA max at 100Vac/60Hz & 240Vac/50Hz

Inrush Current

40A max at 115VAC/60Hz

80A max at 230VAC/50Hz

(Cold start at ambient 25°C)

OUTPUT:**Efficiency**

DOE Level VI

Hold-up Time

≥10ms min at 115Vac/60Hz & 230Vac/50Hz,

max load

ENVIRONMENTAL:**Temperature**

Operation 0 to +40°C

Non-operation -20 to +70°C

Humidity 90%RH max

Emissions

Complies with FCC Class B

Complies with EN55032 Class B

Immunity

EN 61000-3-2

EN 61000-4-2

EN 61000-4-3

EN 61000-4-4

EN 61000-4-5

EN 61000-4-6

EN 61000-4-8

EN 61000-4-11

Dielectric Withstand (Hi-pot) Test

≥3KVac/10mA @1minute

FEATURES:**Over-Voltage Protection**

≤20.4V max at 90Vac~264Vac, max load

Over-Current Protection

≤4A max at 90Vac~264Vac, max load

Short-Circuit Protection

Units shall be protected against a continuous short circuit and over current condition over the operating range. A continuous short circuit shall not produce excessive heat and no smoke or fire

DC Output Connector

2.1 x 5.5mm Center Positive Barrel

Dimension Diagram Unit: mm (inch)

