

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0717182001](#)
Status: **Active**
Overview: LFH™ Interconnect System
Description: 1.27mm Pitch LFH™ Matrix 50 Receptacle, Shielded, 200 Circuits, Right Angle, PC Tail Length 3.05mm

Documents:

[3D Model](#) [Product Specification PS-71718-9999 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

CSA LR19980
 UL E29179

General

Product Family I/O Connectors
 Series [71718](#)
 Application Wire-to-Board
 Component Type Receptacle
 Overview LFH™ Interconnect System
 Product Name LFH™
 Type N/A
 UPC 800756070162

Physical


Circuits (Loaded) 200
 Circuits (maximum) 200
 Color - Resin Black
 Flammability 94V-0
 Lock to Mating Part Yes
 Material - Metal Beryllium Copper
 Material - Plating Mating Gold
 Material - Plating Termination Tin
 Material - Resin High Temperature Thermoplastic
 Net Weight 19.488/g
 Orientation Right Angle
 PC Tail Length 3.05mm
 PCB Retention Yes
 PCB Thickness - Recommended 1.27mm
 Packaging Type Tube
 Panel Mount Yes
 Pitch - Mating Interface 1.27mm
 Pitch - Termination Interface 1.27mm
 Plating min - Mating 0.762µm
 Plating min - Termination 2.540µm
 Polarized to Mating Part Yes
 Surface Mount Compatible (SMC) Yes
 Temperature Range - Operating -20°C to +80°C
 Termination Interface: Style Surface Mount
 Wire Size AWG N/A

Electrical

Current - Maximum per Contact 1.0A
 Shielded Yes
 Voltage - Maximum 40V

Solder Process Data

Lead-freeProcess Capability SMC&WAVE



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant with Exemption 6(c)

REACH SVHC

Not Contained Per - ED/21/2016 (20 June 2016)

Halogen-Free

Status

Low-Halogen

Need more information on product environmental compliance?

Email productcompliance@molex.com
 Please visit the [Contact Us](#) section for any non-product compliance questions.

China ROHS	50 Image
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

[71718](#) Series

Mates With

[71719](#) Cable Kit

Use With

[71628](#) Guide Pin . [70982](#) Hex Screw Kit .
[71629](#) Guide Sleeve . [71771](#) Guide Sleeve

Process Temperature max. C

260

Material Info

Reference - Drawing Numbers

Product Specification

PS-71718-9999

Sales Drawing

SDA-71718-2***

This document was generated on 10/18/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION