

Price* : 417.64 USD

XCCRM23SUB37NB has not been replaced. Please contact your customer care center for more information.



 Discontinued

Main

Accessory / separate part designation	Deserialisation jumper cable
Accessory / separate part destination	Single turn and multiturn SSI encoder
Accessory / separate part category	Connection accessories
Accessory / separate part type	Jumper cable
Product compatibility	XCC25.. XCC29.. XCC35.. XCC39..
Cable length	1.64 ft (0.5 m)
Jumper cable type	SSI Binary (RS422)//Binary NPN
Connector type	M23 female connector straight connector 1 SUB-D 37 male connector straight connector 2
Supply circuit type	DC

Complementary

Supply voltage limits	11...30 V
Protection type	Short-circuit protection
Product weight	0.5 lb(US) (0.225 kg)

Environment

Ambient air temperature for operation	32...122 °F (0...50 °C)
---------------------------------------	-------------------------

Ordering and shipping details

Category	21581 - ENCODERS, XCC
Discount Schedule	DS2
GTIN	003389110936124
Nbr. of units in pkg.	1
Package weight(Lbs)	0.3599999999999999
Returnability	N
Country of origin	FR

Offer Sustainability

RoHS (date code: YYWW)	Compliant - since 0701 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold

Contractual warranty

Warranty period	18 months
-----------------	-----------

Wiring Diagram

1	d0(LSB)	20	d19	
2	d1	21	d20	
3	d2	22	d21	
4	d3	23	d22	
5	d4	24	d23	
6	d5	25	d24(MSB)	
7	d6	26	R	
8	d7	27	RESET	
9	d8	28	SELECT	
10	d9	29	LATCH	
11	d10	30		
12	d11	31		R
13	d12	32	R	
14	d13	33	R	
15	d14	34	R	
16	d15	35	R	
17	d16	36	R	
18	d17	37	1150V	
19	d18	37	GND (IV)	

Wiring Diagram

1	2	3	4	5	6	7	8	9	10	11	12
OV	Data (+)	Clk (+)	R		Reset	R	+V	R	Data (-)	Clk (-)	R