



Actual

Catalog Number: 220001
Product ID: 7TAI029020R0009
UPC Number: 78621088278
EAN Number: 05414363111795
Status: Active

Insulation Piercing Magnet Wire Splice, Length .34 Inches, Width .17 Inches, Height .14 Inches, Wire Range #26 AWG - #17 AWG 1,277 Circular Mil Area - 4,205 Circular Mil Area, Copper Alloy, Tin Plated

- Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
- For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.

North American Specifications (UNSPSC)

UNSPSC	39121449 Wire or cable compression splice
IGCC	4669 Wire or cable compression splice
Brand Name	Dragon Tooth
Type	Splices
Special Features	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Standard	UL E9809
Material	Copper
Finish	Tin Plated

European Specifications (ETIM)

ETIM	EC001059 Crimp splices for copper conductor
AWG-range	26-17
Model	Standard version
Sleeve form	Short
Suitable for solid cores	N
Useful for stranded conductors	N
Suitable for fine strand conductors	N
Suitable for insulated varnish	Y
Suitable for round conductors	Y
Suitable for flat conductors	Y
Material	Copper
Surface protection	Tinned
Insulation	None
Voltage row	Up to 600 V
Type of connection	End connector
Oil stop/centre bar	N

Packaging

Inner Quantity	3000
Inner Dimensions (inches)	10.5x.9x10.5
Outer Quantity	12000
Outer Dimensions (inches)	12.1x11.2x4.3
Weight Uom	1.25 lbs. per 1000

Documents / Support Tools

Technical Drawing / Data Sheet US Available on Website

For further technical assistance, please contact us...

Thomas & Betts - USA
8155 T&B Blvd.
Memphis, TN 38125
www.tnb.com

T&B Technical Support
MS 3B-50
8155 T&B Blvd.
Memphis, TN 38125

Hours: 7AM - 6PM CDT
Monday-Friday
Phone: (888) 862-3289
Fax: (901) 252-1321
Email: techsupport@tnb.com